

# CITYBAC<sup>®</sup> CLASSIC 1100L FL



**SULO<sup>®</sup>**

# Citybac® Classic 1100L Flat Lid



## PRODUCT DETAILS



- 1 Flat Lid
- 2 Handle / recessed grip
- 3 Lid handles lateral 2x
- 4 Handles with handle bar, rear 2x
- 5 Marking areas

- A Body
- B DIN comb lifting system, double stage
- C Stacking ribs
- D SULO sticker / Marking areas
- E Ergonomic handles lateral 4x
- F Chip nest as standard
- G Lifting trunnion
- H Functional castors 2x
- I Double stop break 2x
- J Castors 2x



**FLAT LID****Dimensions (mm)**

<b>A</b> Height total ~	1330
<b>B</b> Upper comb edge ~	1205
<b>C</b> Bin depth ~	1075
<b>D</b> Width total ~	1370

**Weights**

Nominal volume (L)	1100
Empty weight (kg) ~	50
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	510

**FLAT LID - LID-IN-LID****Dimensions (mm)**

<b>A</b> Height total ~	1330
<b>B</b> Upper comb edge ~	1205
<b>C</b> Bin depth ~	1075
<b>D</b> Width total ~	1370

**Weights**

Nominal volume (L)	1100
Empty weight (kg) ~	50
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	510

# Citybac® Classic 1100L Flat Lid

## PRODUCT DETAILS

### COLOURING

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



GREY  
RAL 7021  
AT

ECO FRIENDLY 



Perfectly set in scene with coloured **lids** for fraction identification



GREY  
RAL 7021  
AT



GREEN  
RAL 6011  
VJ



BROWN  
RAL 8025  
MR



BLUE  
RAL 5023  
BN



YELLOW  
RAL 1018  
JA



RED  
RAL 3001  
RN

### ALTERNATIVE COLOURS FOR THE BIN BODY



GREEN  
RAL 6011  
VJ

ECO FRIENDLY 





BROWN  
RAL 8025  
MR

ECO FRIENDLY 





BLUE  
RAL 5023  
BN

ECO FRIENDLY 





YELLOW  
RAL 1018  
JA

ECO FRIENDLY 



Colours may vary due to production. The colour values given according to RAL are guide colours.

# + OPTIONS

## LID-IN-LID

Packaging



front lid available  
in the colours



Lid-in-Lid

## LID SLOT SYSTEMS

Glass




Round slot with  
rubber rosette  
Ø 150 mm

Paper



Opening Slot  
530 x 95 mm



Paper Inlet Hood  
Blue

## LIFTING SYSTEMS



Fork lift device



Lifting trunnions



Lateral handles 2x

## HANDLES

## TRANSPORT



Towing system

## LID OPENING




Lid opening device,  
foot execution

## NOISE REDUCTION SYSTEMS



Lid Opening Noise  
Reduction



Lid closing damper

## CHASSIS



Plastic rim,  
Rubber wheel  
Ø 200 mm



Plastic rim,  
Rubber wheel  
Ø 200 mm,  
non-marking



Steel rim,  
ball bearing,  
Rubber wheel  
Ø 200 mm



Double stop (DS)



Central locking  
device (ZF)



Steering lock

## LOCKING SYSTEMS



Triangular Locks  
with / without open  
position



Padlock Fixtures



Cylinder lock with  
automatic function



Cylinder lock without  
automatic function

# Citybac® Classic 4Wheel

## TECHNICAL INFORMATION

1.100 LITRE FL

### MATERIAL OPTIONS

Extra UV protection

### COLOURS

Standard colours

Other colours

### LID SYSTEMS

Flat lid

Flat lid with Lid-in-Lid (LiL)

Dome lid

Dome lid with Lid-in-Lid (LiL)

### LIFTING SYSTEMS

EN 840 / DIN DIN Comb

Lifting trunnions

Lifting handles 2x

Rear handles

Fork lift device

### WATER DRAIN

Water drain

Without water drain

### TRANSPORT

Towing system with or without bar

### LID SLOT SYSTEMS

#### Packaging

Lid-in\_lid 2x, small Lid only available in Yellow RAL 1018

#### Glass

2 x Round slot with rubber rosette Ø 150 mm

#### Paper

Paper slot: 530 x 95 mm

Paper Inlet Hood Blue

### LID OPENING

Lid opening device, foot execution

### NOISE REDUCTION SYSTEMS

Lid opening noise reduction

Lid closing damper

### CHILD SAFETY

Comfort

Basic

Light

**CHASSIS**

Plastic rim, Rubber wheel Ø 200 mm	■
Plastic rim, Rubber wheel Ø 200 mm, non-marking	■
Steel rim, ball bearing	■
Castor	■
Double stop (DS)	■
Central locking device (ZF)	■
Steering lock	■

**LOCKING SYSTEMS**

Padlock device 1x	■
Padlock device 2x	■

**Triangular Lock**

with open position	■
without open position	■

**Cylinder lock without automatic function**

same key locking	■
group key locking	■
different key locking	■

**Cylinder lock with automatic function**

same key locking	■
group key locking	■
different key locking	■

**CHIP INSTALLATION**

RFID chip, installation without barcode sticker	■
RFID chip, installation with barcode sticker	■

**RFID CHIP**

Transponder 134kHz HDX + HID Inlay casted	■
Transponder 134kHz FDX casted	■
Transponder 134kHz FDX riveted	■
Transponder 134kHz HDX + glass	■
Transponder 125kHz FDX casted	■
Transponder 125kHz FDX riveted	■
Transponder 13,56 MHz	■

**LABELLING****Body**

SULO sticker	■
Customer sticker	■
Hot foil stamping	■
Running numbers (colourless / black / white)	■

**Lid**

SULO sticker	■
Screen printing	
Hot foil stamping	■
Running numbers (colourless / black / white)	■
Embossing insert	■

■ Standard  
■ Option

**sulo.com**

DATA-CITYBAC-1100L-FL-C-HF-EN-1-1-23042024

**SULO<sup>®</sup>**